



SEQUENCE LISTING

(1) GENERAL INFORMATION:

- sub
C1
- (i) APPLICANT: Jofuku, K. Diane
Okamuro, Jack K.
- (ii) TITLE OF INVENTION: Methods for Improving Seeds
- (iii) NUMBER OF SEQUENCES: 99
- (iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: Townsend and Townsend and Crew LLP
(B) STREET: Two Embarcadero Center, Eighth Floor
(C) CITY: San Francisco
(D) STATE: California
(E) COUNTRY: USA
(F) ZIP: 94111-3834
- (v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn/Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER: US 08/879,827
(B) FILING DATE: 20-JUN-1997
(C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
(A) APPLICATION NUMBER: US 08/700,152
(B) FILING DATE: 20-AUG-1996
- (viii) ATTORNEY/AGENT INFORMATION:
(A) NAME: Bastian, Kevin L.
(B) REGISTRATION NUMBER: 34,774
(C) REFERENCE/DOCKET NUMBER: 023070-067210US
- (ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: (415) 576-0200
(B) TELEFAX: (415) 576-0300
- (2) INFORMATION FOR SEQ ID NO:1:
- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1669 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (ix) FEATURE:
(A) NAME/KEY: -
(B) LOCATION: 1..1669
(D) OTHER INFORMATION: /note= "canola APETALA2 (AP2) domain containing (ADC) gene"
- (ix) FEATURE:
(A) NAME/KEY: misc feature
(B) LOCATION: 1..592
(D) OTHER INFORMATION: /note= "gene sequences 5' to start site"
- 94

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CAGCNGNGTT TTCCNTNATN GTTCGTGGCG GCCCACGTGG TAGGAGAAGA CGGAAATTAA 60
 CAAATTCATN GTCACCCTAC AAGAAAGGGG GAACATAATT AAATTTTCGAG TAGTTGGAGT 120
 AGGAGAAGCT CAATAGTACA AGAAATTAAA TAAGATACTC CCATCTACAT CATCTTGCTT 180
 TTTCTCATCC CATAATAGTT TTCCAGTAAA ACTGTGAACC TTGTGAATTT AATTTCCCTT 240
 TTATATATAA AGATACCTTG TGGTGTTTAT ACTCAGGAGA CCAGAAACTA GGAAACAGTC 300
 TATTACATTT GTATTGGGAA ATAATCAAAT CTCAAAATTT GATTCATTCA TAAACTTTAT 360
 ACTATATACT TTTTCGTTGA TAAATTTTTT GCCTCTCCTT CTAATAACGA ATGGAGTCCT 420
 AGCACATATA TATTNCCTAA TGTGATTTTC ATTTTCATATG GATATTTATT TATATATGAC 480
 TATTTATTCC ATCCCATCTT ATTGCTTTTG ATGGTTCTCT TGTCATTAGA GTCTTCTCTC 540
 TTATTGCTCT CATATTTCTT TGCTTTTGTT TCCTCTTTAT TACAAGAGAG ATATGTGGAA 600
 CCTTAACGAC TCACCTGATC ACCACGAAGA ATCCGACGGT AGATGGAAAC GGGCTGGAGA 660
 TGTACCAATC TCTATGAGAT CATCGACCAC GTGTCTGTCG TCTGTTCCCTC CCGTGACCCG 720
 GATATTTTTT TCCGAATCAA ATCATGGAAC AGGAAGTTCC AGGAATATCT GGGTCCCGTA 780
 TCACTAGAAA CCAGTCTCTT GTTCGGTCGA ATCCTAGCGG GTCTGGTCGT CCGGAAAACC 840
 TAGAGCTGGA GATAACACAG CCGGTAAAAA AGAGCCGACG TGGTCCTCGC TCACGGAGCT 900
 CTCAGTATAG AGGAGTTACT TTTTATCGAC GAACCCGAAG ATGGGAGTCA CATATTTGGT 960
 AACTTAATTT TCTTAACCCG ACGATATACC GAATACTATT ATTACCTATA TGGTAAATCT 1020
 ATCAAATACA TGTTTCATTT CATTTGAGCC NATACCGTAT TGTTGTTTTT AAAATATGTT 1080
 TGGAATCTTA TGCAGGGACT GCGGGAAGCA AGTGTACTTA GGTATGATCA TGTAATGTTG 1140
 TTCAAACACA GATCAAATAT CCTATTGAAA CTAAGTTGTG TTGTGTCTGT CCATTTTTAT 1200
 ATGATTTCTT CGACCAAATA AAGGTTTTAT TATCTCCTTA TATTACTTTT TGTTACATAT 1260
 TCAGGTGGAT TTGACACAGC ACATGCCGCT GCTCGGTATG TTTTACTCAT CCAAATATGA 1320
 TCAATTAGAA CGAATCTAAT ATTCCTTATT TTGTAATTTG CTGATATACA AATTAATTTG 1380
 GGTGGGTAAC TGTTTGGGAC AGTGCCTACG ATAGAGCCGC AGTTAAGTTT AGAGGTGTAG 1440
 ATGCAGATAT AAATTTCAAT ATTGAAGACT ATGTGGAGGA TTTGAAACAG GTAAAATATT 1500
 TATTATTTGT AGGTTCAAGC AATTGACTTA GATTATTACT CGAACATAAA ACAAATTAAT 1560
 ATTTGTTGCA GATGACGCAG TTGACAAAGG AAGAGTTCAT GCATGTCATT AGAAGGCAAA 1620
 GCACTGGGTT TCCAAGAGGC AGCTCTAAGT ATAGAGGTGT CACTTTGCA 1669

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 803 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..803
- (D) OTHER INFORMATION: /note= "soybean APETALA2 (AP2) gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

GGATTGTGGG AAACAAGTTT ATCTAGGTAA AGTTGATTAA TAACAATAAT TGTATATGTG 60
 TTTGTGAGAA CTGTGGCAGT TATTTTTCCT AATATTGTTT TAAGAGGCTA AAACGGTTTT 120
 TTTTTCCTTG TTTTGTGTTT TTTGTCTTGG CTGTGATGCG GTAGAGACAA GAGTGTGAGT 180
 GTGTGTTGTG TGTGGGTGAG GATTTTTTTR TTTTTTTGTG GTGACTGACT TGATGGTTTT 240
 TGTCTGGGTA AAATTTGTCT AGGTGGATTT GACACAGCAC ATGCCGCTGC TCGGTGAGCC 300
 CTTGCCCCCT CCTTTAGTAT TATACCAAGC TTGTAATATT ACTTTTTCCA TGTCTTGAAC 360
 CAAATATCAA ATATTATTGT AAATCACATT TCGTTGTGGG CCGGGGAATT GTGAGTCTCA 420
 AAGAAAATTG TGTATTTTCC GTCTCTCTTT TCAGTGCTTA TGATAGAGCG GCTATTAAAT 480
 TCCGAGGAGT GGAGGCTGAC ATTAACCTCA ATATTGGAGA CTATGAAGAT GACTTGAAGC 540
 AGGTGATCAA TTTGTGGATT ATGTTTTTTT TATTCGATAT AAATGCATTT ATCGTATTTA 600
 TCTTATCTTG AACAGTCATA CGTATAGGAT GCACCTTATC TCCTACAGTT AGTGTTTTTT 660
 TTTATCTTGA ATTATTCTCA TGATTTTGTT AAATGCAATG TTAATAGATG AGCAATCTTA 720
 CCAAGGAAGA GTTCGTCCAC GTGCTTCGCC GCCAAAGCAC TGGATTTCGG AGAGGAAGCT 780
 CCAAGTATAG AGGTGTCAC TGC 803

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 11721 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..11721
- (D) OTHER INFORMATION: /note= "Arabidopsis APETALA2 (AP2) genomic sequence"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

GTAAGCAATA ATATAGTTTG AACAATGAGT TCAAAAGCCT TTGGTTGGAA TAACTCATTA 60
 AGAAAACAGA TAGTTTAAAA TCAATTGAAT TATGATTTC A GACATAGTAT AAGTTTGGGC 120
 AAAGTATTTT AATGGAAATA GAATACAAAC TTGATAACAA GTTATTGCCA TTTAGAAAAT 180
 GTTATAACTC CTTATATAGT GAGAACCCTA TTGCTTGCTT GTGTTCAAGG AATTGCTGTT 240

TATGGAAGCTC CACTTTAAAT AAACATATAA ATAATCTATT TAGTATCAAA AACTTAATAT 300
 CCCATCTACT TTGAATTTGC CCGATCATGA AAACACCTAT TTATTGTACA TAAATATACA 360
 TCTTTAACAA ATATAGATCT ATTTGTATTT GTATCTTATT ACCTTTTATT CATATAGAAA 420
 AAGGAAAAAA CAAACAAAAA GCTTTGTTCC AAGAGTTTAA AGTATATCAA AATTGGCAGT 480
 ATTGTGGGGT TTTGAAGTAA TCTACTAGAT TATTCATTTT CTTGCAAAAA ACACCTTTTT 540
 ATAGTTGCTT ACCGAACCAA GCCGTGGACT TCACTTTCTT AAAACATGAA ATTACATATT 600
 AAAGGAATCT TTTGATTAAT CAAAGAAGAT GTTTGTATAC ATAGATAATA AATGAAAGTG 660
 GAAATATTTT TTTTAAAT AAAGAAAAAA AATAAAGAAA CTCCAATACG AGGAATTGTT 720
 TCGAATATAA TCTTTTTTCC AAAGAAAGCA AGTGGTTAGA GAGAGAATAA TATTATTTTA 780
 TTAAATTTTT ACAAAAAAAA CAGTGACAAG AGAAGAGAGA GAGAGAAAGG GCAGTGGAAG 840
 TAAATATAAA GGAAAGGATA AAAATGAAAG CTTTCGTAGA AGCAATCTAT CAAATTTTTA 900
 TTTTATTTTC TTCTCTCTCT CTCTTTAGCT CTTTTTTTTT TGTTTTTATT AAAGTTTTTA 960
 TTTTATTTTC TACCAACCAA AAGCTTTTCT CTTTGGTTTC TCTTATTTAG CTTCTAACCT 1020
 TGAGGAGAAT CATACCAGAG GATTGAAGTT TGAACCTTCA AAGATCAAAA TCAAGAAACC 1080
 AAAAAAAAC AAAAAAATG TGGGATCTAA ACGACGCACC ACACCAAACA CAAAGAGAAG 1140
 AAGAATCTGA AGAGTTTTGT TATTCTTCAC CAAGTAAACG GGTGGATCT TTCTCTAATT 1200
 CTAGCTCTTC AGCTGTTGTT ATCGAAGATG GATCCGATGA CGATGAACTT AACCGGGTCA 1260
 GACCCAATAA CCCACTTGTC ACCCATCAGT TCTTCCCTGA GATGGATTCT AACGGCGGTG 1320
 GTGTTGCTTC TGGCTTTCCT CGGGCTCACT GGTGTTGGTGT TAAGTTTTGT CAGTCGGATC 1380
 TAGCCACCGG ATCGTCCGCG GGTAAAGCTA CCAACGTTGC CGCTGCCGTA GTGGAGCCGG 1440
 CACAGCCGTT GAAAAAGAGT CGGCGTGGAC CAAGATCAAG AAGTTCTCAG TATAGAGGTG 1500
 TTACGTTTTA CCGGCGTACC GGAAGATGGG AATCTCATAT TTGGTAATAA TCTCATATTT 1560
 TTAATTTTCG TAATCGATCG TACTTTAGAT TATAAATTTA AGTTTTTTTT TGTTTGTCT 1620
 TCTGAATTTT AGGGACTGTG GGAAACAAGT TTAATTAGGT AATTTTATTT TCCTCATGTT 1680
 TTTTTTTGTA TTTTGGTGTG GAAAAATGTC ATCATAATTT TAATTTATTA TAANCTCTGA 1740
 ATAGGTGGAT TTGACACTGC TCATGCAGCA GCTCGGTATT TTTCTCTCTT TGAATCTCTC 1800
 TATATTGAGT TGTTATTTAT TTATTTTTTT AAAAATACCG GAAGAAATTT ATAAAAATTA 1860
 ATTTTAATTT TGTTTTATTT AATAGAGCAT ATGATAGAGC TGCTATTAAA TTCCGTGGAG 1920
 TAGAAGCGGA TATCAATTTT AACATCGAAG ATTATGATGA TGACTTGAAA CAGGTAAATA 1980
 TAAATTATAA ACTATATTGG TTTTATTATA CGATTTTTAA AGGTTTGGGA GATTAATATT 2040
 GAAATTGAAT TTTATAGATG ACTAATTTAA CCAAGGAAGA GTTCGTACAC GACTTCGCC 2100
 GACAAAGCAC AGGCTTCCCT CGAGGAAGTT CGAAGTATAG AGGTGTCCTT TTGCATAAGT 2160
 GTGGTCGTTG GGAAGCTCGA ATGGGTCAAT TCTTAGGCAA AAAGTATAAT TTCTCTCATT 2220
 TTATATTCAC TCGAAACTT CATTTTTAGT TTGTTATTTT AACTTTGAGT TTTTGTCTCT 2280

TGAATCTTAT AAAATAGGTA TGTATTATTG GGTGTGTTTC ACACCGAGGT CGAAGCTGCT 2340
 AGGTAAATGT CTTTTTGTTT GATTCTACAA CACACATTGT TGTATAATGT GTTTTTCTCG 2400
 TTAATAATTG ATTTTCATTA TTTTATATAT AATCACAGAG CTTACGATAA AGCTGCAATC 2460
 AAATGTAACG GCAAAGACGC CGTGACCAAC TTTGATCCGA GTATTTACGA TGAGGAACTC 2520
 AATGCCGGTA AATTGTCTCA TTTAATCGAG TAATTTTATA TATTTTTTGG TCCTTAGTTT 2580
 CATCACTTTG GTGTTCGAAC TTGGTTTAAA GATTTTGAAT TTGGTGTATA TAGAGTCATC 2640
 AGGGAATCCT ACTACTCCAC AAGATCACAA CCTCGATTTG AGCTTGGGAA ATTCGGCTAA 2700
 TTCGAAGCAT AAAAGTCAAG ATATGCGGCT CAGGGTAGGG TTTAATCTTA TATTATTAAC 2760
 AATAATTTAT ATCTTAATAT ATTGTTTATA TGTTTATAAA CATGTTTTCT TTTGTTTTGC 2820
 TTTCAAGATGA ACCAACAACA ACAAGATTCT CTCCACTCTA ATGAAGTTCT TGGATTAGGT 2880
 CAAACCGGAA TGCTTAACCA TACTCCCAAT TCAAACCACC AAGTGAGTAA ATAACCACAA 2940
 ATGCAAATAC CATAATTTCA TTTGAATATA TTTTATCTAA AGAATTGCAT TTTTTTTTGG 3000
 TAAATTAGTT TCCGGGCAGC AGCAACATTG GTAGCGGAGG CGGATTCTCA CTGTTTCCGG 3060
 CGGCTGAGAA CCACCGGTTT GATGGTCGGG CCTCGACGAA CCAAGTGTTG ACAAATGCTG 3120
 CAGCATCATC AGGATTCTCT CCTCATCATC ACAATCAGAT TTTTAATTCT ACTTCTACTC 3180
 CTCATCAAAA TTGGCTGCAG ACAAATGGCT TCCAACCTCC TCTCATGAGA CCTTCTTGAA 3240
 TCTTTTATAT TTTTAAGGTT TATTATTATA TAAGAAAAAC AAAAATGAAC CTTTGAAATC 3300
 CCCACATGTT CTTGGTCATT TCATTAATCA TCGGCTTATA TTTTGCTTAT TTTCCCCTAA 3360
 ATCCTCTTGT TAACTTAGGC GAACAAAAAA AATTAATGGA AATCTTTTTT CCTCCATCGG 3420
 TTACAAAAAT AATATTATAT ATAATTGTTG GATATATGGG AAATTGGATA AGTTTGTGAT 3480
 TTGAGATGTT CTGACTAAAA AGGTTGAGAA GAGATTGTGC AATGAGTTGT CTTTTGTTGT 3540
 TTCTCCTCAA TACATTTATT AAGATTTTAA AACATTACTT CTTTATATGT TACCTGCACC 3600
 TATCTACATA TATGTTTCACT CTTAATTGTT TTTGTTATTC CTCTTTCATA TCTATTCAAT 3660
 TAATGTTTTT CTAGCCTTAG TTCATTTTAC ATTTTTCCTG AAAATCTCTC ATGAAAAAAA 3720
 CACATTCATG TGTGAAATAT ATTTCAACAC CCATTATAGT TTCGTTAATT CAGATATATA 3780
 ATTTTATTTT ATTACATATA ATAAAAATTG ACAGGTGGGT ATACACATGG TTTCTTGTG 3840
 CTAACATTGG TTTGAATAGC ATAAACCGAA TCCTAAAATA CTTTAAGTTC ACTTCGTAAA 3900
 TAAAATCTGA TAAACTGAAC AAATTAGGTT CTCTAAAGTT GAGATGGGTA AATGTTTACG 3960
 TAACTCATGG AGTTGGAATT GTGATTCTCG CTTGTTTACA ATTGCTTTTG GTATTACAA 4020
 GGATACTAAT TGTATGCTTT GTTTGTGGTT GTGCTTTGTT TGCCATTGTT ACTCCTTTAT 4080
 GGAGATCTAT GTTCTATCTT GTNCCCCTGT TGTGGGAAA TCTTTATTG CAGGGAATGA 4140
 AAGCTTCTTT GGTGTTTATG GATTTGCTGT TGCATCTTGT TTGGACATGC TATCTTCTAA 4200
 AACCTTGAA GTTCCCTTGC GAGACATTTC TATCGCTTAT CGTTCTAGCA CCTACACGTT 4260
 GGTAGCAGAA GATATTGTAG CGAAACTGC CTTATCATTG AATAACGCCC TCTTGTTGGC 4320

GTGGAACGAA GACTCTTTGG TTTTGCAATT GTTCATGGAC TCCCAGTTCA GTGTAAAATC 4380
 TTTCAAGTCA CTCGAAGTCA CCGTTGAGCT AGGGAGAATT CTGCTTGTTT TAAGCTTCTT 4440
 TCACCTTCGG TTTATCCCCA TGTTTTTTGC ATTATTCTCT TATACTGCGT TTGTGTTTGC 4500
 AGTTCTTTCA GTTTTTAGTG ATGTGTTTTA CTCTTGTAAT GGAGACTAAA TTATTTCTAT 4560
 ATCTATAAAA TTAGTTTGAT AAAAAAAAAA AAAGTGAACA AATTTTATTT CGTTCAGCAA 4620
 CGCTTATAAA TGCCAAATAG AAAAGTTCAG TTATTTTAAA GCTTTTTTGC ATATATATAT 4680
 TATCTAACCT TTTATTGAAT TAGAGAATTT TAGTCAACCA TTAATAATTA CGAATTTTCC 4740
 TAGTTTATAC TATTTAGAAG TTGCAGTATC AATCATCACG GGAAAAAAT AAAATGATAT 4800
 TTTTGGTTTT GTCCATTTTG TAGATATTTT ACCGACAGAA GAAAAAACA GTGATATTTT 4860
 ATTTTTTTTAC AGTATTAATG GTGAGACGAG AGAGAGAAAC AGAAGTAGAT TGGTTCTTAT 4920
 GTTTCCTTAA TGGAGTAAGA AATAATACTC ACAGTTATTT TCGCATCTCA ACAAAGTTA 4980
 AAATGAATAT CAACCGTAAG ATCTCTTTCT TCTGTTTTCA CAGACTATGA AATATAAAAA 5040
 ATCATAATGC CTACAAGCTA TGCGACCGTT AGTTAAAAAA AAATATGAAT AATATTCCAA 5100
 AGAGAAAAAA ATCTTGGAAG TAGAAAATTA GGTATAAAGA GAAAAGAGGC AAATAAAAAT 5160
 TGGGGATTAT TAGGGATGAG TGGTCATTTT CAAGTAATGT GTCCTTTGAA TCAGTTTCTC 5220
 TCTCTATCTC TCACAGAAAC CCAAAGAAG TCAGACATTG TTATAATGGT GAGAGAGACT 5280
 TCTCGGCTTC ACTTCCTTTC TCCTCTTTTA ATTCTCTTTT TAATTCAAAA GTTTAAAGAT 5340
 TTTATTAAAT GTTTCATACT CTTACACTTA TTCATGAATC CTTTCCTAGA TTCACTTTT 5400
 ACTCTCTGTA TAATTTGTTT CTCCTTAAAC TCTTGGTTCA TCTATTTGGT TACGTTACAT 5460
 CCTAATAGTC TTTATCATAT ATACCTTTGG GTCCTTTTAC TAATAC'TAGG TAAAACTTC 5520
 TAGTTGTATA ATGCTTAAAA TTACAATGGG GTTATGATGA TATTGTTATT TTATAATCGC 5580
 56 ATTAGAATTG CAAACAAAAA TTGTTTATGC TAGGATAAAC ATTTTAAGTG AGAAGACTAT 5640
 CCCTTTTTTT ATATCTATAT TTAGATTTCG AATTTTCTTA CTAACGAAAA ATATATAGAT 5700
 GGAGAACTAT GACAATACAC TTTTGCCTTA CAATGACATT ATGGTTATTT ACCTAATTGA 5760
 ATGATACAAA ATGAGATGGA GTTGTATGAA TTTATAGCAA CTGTCTTTCT GCTTCTTTTT 5820
 TTTTTTTTTA ATAGAGTGGA GACTTGAATT CNWRTTNAG NATGNNNNCY GAATTCAAGT 5880
 CTCCACTCTA TTAATAAAAA AAAAAAGAAG CAGAAAGACA GTTGCTATAA ATTCATACAA 5940
 CTCCATCTCA TTTTGTATCA TTCAATTAGG TAAATAACCA TAATGTCATT GTAAGGCAAA 6000
 AGTGTATTGT CATAGTTCTC CATCTATATA TTTTCGTTA GTAAGAAAAT TCCGAATCTA 6060
 AATATAGATA TAAAAAAGG GATAGTCTTC TCACTTAAAA TGTTTATCCT AGCATAAACA 6120
 ATTTTGTGTT GCAATTCTAA TGCGATTATA AAATAACAAT ATCATCATAA CCCCATTGTA 6180
 ATTTTAAGCA TTATACAACT AGAAGTTTTT ACCTAGTATT AGTAAAAGGA CCCAAAGGTA 6240
 TATATGATAA AGACTATTAG GATGTAACGT AACCAAATAG ATGAACCAAG AGTTTAAGGA 6300
 GGAACAAATT ATACAGAGAG TAAAAGTGAA ATCTAGGAAA GGATTCATGA ATAAGTGTA 6360

GAGTATGAAA CATTTAATAA AATCTTTAAA CTTTGAATT AAAAGAGAA TTAAAAGAGG 6420
 AGAAAGGAAG TGAAGCCGAG AAGTCTCTCT CACCATTATA ACAATGTCTG ACTTCTTTTG 6480
 GGTTCCTGTG AGAGATAGAG AGAGAAACTG ATTCAAAGGA CACATTACTT GAAAATGACC 6540
 ACTCATCCCT AATAATCCCC AATTTTTATT TGCCTCTTTT CTCTTTATAC CTAATTTTCT 6600
 ATTTCCAAGA TTTTTTCTC TTTGGAATAT TATTCATATT TTTTTTAAC TAACGGTCGC 6660
 ATAGCTTGTA GGCATTATGA TTTTTTATAT TTCATAGTCT GTGAAAACAG AAGAAAGAGA 6720
 TCTTACGGTT GATATTCATT TTAACTTTGT TTGAGATCGC AAAATAACTG TGAGTATTAT 6780
 TTCTTACTCC ATTAGGGAAA CATAAGAACC AATCTACTTC TGTTTCTCTC TCTCGTCTCA 6840
 CCATTAATAC TGTAACAAAA TAAAATATCA CTGTTTTTTT CTTCTGTCGG TAAAATATCT 6900
 ACAAATGGA CAAACCAAA AATATCATTT TATTTTTTTC CCGTGATGAT TGATACTGCA 6960
 ACTTCTAAAT AGTATAAACT AGGAAAATTC GTAATTTTTA ATGGTTGACT AAAATTCTCT 7020
 AATTCAATAA AAGGTTAGAT AATATATATA TGCAAAAAAG CTTTAAAATA ACTGAACTTT 7080
 TCTATTTGGC ATTTATAAGC GTTGCTGAAC GAAATAAAAT TTGTTCAAGT TTTTTTTTTT 7140
 TATCAAACTA ATTTTATAGA TATAGAAATA ATTTAGTCTC CATTACAAGA GTAAACACA 7200
 TCACTAAAAA CTGAAAGAAC TGCAACACA AACGCAGTAT AAGAGAATAA TGCAAAAAAC 7260
 ATGGGGATAA ACCGAAGGTG AAAGAAGCTT AAAACAAGCA GAATTCTCCC TAGCTCAACG 7320
 GTGACTTCGA GTGACTTGAA AGATTTTACA CTGAACTGGG AGTCCATGAA CAATTGCAAA 7380
 ACCAAAGAGT CTTCGTTCCA CGCCAACAAG AGGGCGTTAT TCAATGATAA GGCAGTTTTT 7440
 GCTACAATAT CTTCTGCTAC CAACGTGTAG GTGCTAGAAC GATAAGCGAT AGAAATGTCT 7500
 CGCAAGGGAA CTTCAAGGT TTTAGAAGAT AGCATGTCCA AACAAGATGC AACAGCAAAT 7560
 CCATAAACAC CAAAGAAGCT TTCATTCCCT GCAAATAAAG ATTTCCCAAC AACAGGGGNA 7620
 CAAGATAGAA CATAGATCTC CATAAAGGAG TAACAATGGC AAACAAAGCA CAACCACAAA 7680
 CAAAGCATAC AATTAGTATC CTTGTGAATA CAAAAAGCAA TTGTGAACAA GCGAGAATCA 7740
 CAATTCCAAC TCCATGAGTT AGCTGAACAT TTACCCATCT CAACTTTAGA GAACCTAATT 7800
 TGTTCAAGTT ATCAGATTTT ATTTACGAAG TGAACCTAAA GTATTTTAGG ATTCGGTTTA 7860
 TGCTATTCAA ACCAATGTTA GCACAAGGAA ACCATGTGTA TACCCACCTG TCAATTTTTA 7920
 TTATATGTAA TAAATAAAAA TTATATATCT GAATTAACGA AACTATAATG GGTGTTGAAA 7980
 TATATTTTAC ACATGAATGT GTTTTTTTCA TGAGAGATTT TCAAGAAAAA TGTAAAATGA 8040
 ACTAAGGCTA GGAAACATT AATTGAATAG ATATGAAAGA GGAATAACAA AACAAGTTAG 8100
 GACTGAACAT ATATGTAGAT AGGTGCAGGT AACATATAAA GAAGTAATGT TTTAAAATCT 8160
 TAATAAATGT ATTGAGGAGA AACAACAAAA GACAACTCAT TGACAAATCT CTTCTCAACC 8220
 TTTTtagTCA GAACATCTCA AATCACAAAC TTATCCAATT TCCCATATAT CCAACAATTA 8280
 TATATAATAT TATTTTTGTA ACCGATGGAG GGAAAAAGAT TTCCATTAAT TTTTTTTGTT 8340
 CGCCTAAGTT AACAAGAGGA TTTAGGGGAA AATAAGCAAA ATATAAGCCG ATGATTAATG 8400

AAATGACCAA GAACATGTGG GGATTTCAAA GGTTCATTTT TGTTCCTT ATATAATAAT 8460
 AAACCTTAAA AATATAAAG ATTCAAGAAG GTCTCATGAG AGGAGGTTGG AAGCCATTTG 8520
 TCTGCAGCCA ATTTTGATGA GGAGTAGAAG TAGAATTAAA AATCTGATTG TGATGATGAG 8580
 GAGAGAATCC TGATGATGCT GCAGCATTTG TCAACACTTG GTTCGTCGAG GCCCGACCAT 8640
 CAAACCGGTG GTTCTCAGCC GCCGGAAACA GTGAGAATCC GCCTCCGCTA CCAATGTTGC 8700
 TGCTGCCCGG AAATAATTT ACCAAAAAAA AATGCAATTC TTTAGATAAA ATATATTCAA 8760
 ATGAAATTAT GGTATTTGCA TTTGTGGTTA TTTACTCACT TGGTGGTTTG AATTGGGAGT 8820
 ATGGTTAAGC ATTCGGGTTT GACCTAATCC AAGAACTTCA TTAGAGTGGA GAGAATCTTG 8880
 TTGTTGTTGG TTCATCTGAA AGCAAAACAA AAGAAAACAT GTTTATAAAC ATATAAACAA 8940
 TATATTAAGA TATAAATTAT TGTTAATAAT ATAAGATTAA ACCCTACCCT GAGCCGCATA 9000
 TCTTGACTTT TATGCTTCGA ATTAGCCGAA TTTCCCAAGC TCAAATCGAG GTTGTGATCT 9060
 TGTGGAGTAG TAGGATTCCC TGATGACTCT ATATACACCA AATTCAAAAT CTTTAAACCA 9120
 AGTTCGAACA CCAAGTGAT GAACTAAGG ACCAAAAAAT ATATAAAATT ACTCGATTAA 9180
 ATGAGACAAT TTACCGGCAT TGAGTTCCTC ATCGTAAATA CTCGGATCAA AGTTGGTCAC 9240
 GGCGTCTTTG CCGTTACATT TGATTGCAGC TTTATCGTAA GCTCTGTGAT TATATATAAA 9300
 ATAATGAAAA TCAATTAGTA ACGAGAAAAA CACATTATAC AACAATGTGT GTTGTAGAAT 9360
 CAAACAAAAA GACATTTACC TAGCAGCTTC GACCTCGGTG TCGAACAAAC CCAAATAAAC 9420
 ATACCTATTT TATAAGATTC AAGAAACAAA AACTCAAAGT TAAAATAACA AACTAAAAAT 9480
 GAAGTTTTTC AGTGAATATA AAATGAGAGA AATTATACTT TTTGCCTAAG AATTGACCCA 9540
 TTCGAGCTTC CCAACGACCA CACTTATGCA AAGTGACACC TCTATACTTC GAACTTCCTC 9600
 GAGGGAAGCC TGTGCTTTGT CGGCGAAGTA CGTGACGAA CTCTTCCTTG GTTAAATTAG 9660
 TCATCTATAA AATTCAATTT CAATATTAAT CTCCCAAACC TTTAAAAATC GTTAATAAAA 9720
 ACCAATATAG TTTATAATTT ATATTTACCT GTTCAAGTC ATCATCATAA TCTTCGATGT 9780
 TGAAATTGAT ATCCGCTTCT ACTCCACGGA ATTTAATAGC AGCTCTATCA TATGCTCTAT 9840
 TAAATAAAAC AAAATTAAAA TTAATTTTAA TAAATTTCTT CCGGTATTTT TAAAAAATA 9900
 AATAAATAAC AACTCAATAT AGAGAGAGTC AAAGAGAGAA AAATACCGAG CTGCTGCATG 9960
 AGCAGTGTCA AATCCACCTA TTCAGAGNTT ATAATAAATT AAAATTATGA TGACATTTTT 10020
 CAACACCAAA ATACAAAAAA AAACATGAGG AAAATAAAAT TACCTAAGTA AACTTGTTTC 10080
 CCACAGTCCC TGAAATTCAG AAGAACAAAC AAAAAAAAAC TTAAATTTAT AATCTAAAGT 10140
 ACGATCGATT AACGAAATTA AAAATATGAG ATTATTACCA AATATGAGAT TCCCATCTTC 10200
 CGGTACGCCG GTAAAACGTA ACACCTCTAT ACTGAGAACT TCTTGATCTT GGTCCACGCC 10260
 GACTCTTTTT CAACGGCTGT GCCGGCTCCA CTACGGCAGC GGCAACGTTG GTAGCTTTAC 10320
 CCGCGGACGA TCCGGTGGCT AGATCCGACT GACAAAACCT AACACCAAAC CAGTGAGCCC 10380
 GAGGAAAGCC AGAAGCAACA CCACCGCCGT TAGAATCCAT CTCAGGGAAG AACTGATGGG 10440

TGACAAGTGG GTTATTGGGT CTGACCCGGT TAAGTTCATC GTCATCGGAT CCATCTTCGA 10500
 TAACAACAGC TGAAGAGCTA GAATTAGAGA AAGATCCAAC CCGTTTACTT GGTGAAGAAT 10560
 AACAAAACCTC TTCAGATTCT TCTTCTCTTT GTGTTTGGTG TGGTGCGTCG TTTAGATCCC 10620
 ACATTTTTTTT TGTTTTTTTT TGGTTTCTTG ATTTTGATCT TTGAAGGTTT AACTTCAAT 10680
 CCTCTGGTAT GATTCTCCTC AAGGTTAGAA GCTAAATAAG AGAAACCAA GAGAAAAGCT 10740
 TTTGGTTGGT AGAAAATAAA ATAAAAACTT TAATGAAAAC AAAAAAAAAA GAGCTAAAGA 10800
 GAGAGAGAGA AGAAAATAAA ATAAAAATTT GATAGATTGC TTCTACGAAA GCTTTCATTT 10860
 TTATCCTTTC CTTTATATTT ACTTCCACTG CCCTTCTCTCT CTCTCTCTTC TCTTGCTACT 10920
 GTTTTTTTTG TAAAAATTTA ATAAAAATAAT ATTATTCTCT CTCTAACCAC TTGCTTTCTT 10980
 TGGAAAAAAG ATTATATTCG AAACAATTCC TCGTATTGGA GTTCTTTTAT TTTTTTCTT 11040
 TATTTTAAAA AAAAATATTT CCACTTTCAT TTATTATCTA TGTATACAAA CATCTTCTTT 11100
 GATTAATCAA AAGATTCCTT TAATATGTAA TTTTCATGTT TAAGAAAGTG AAGTCCACGG 11160
 CTTGGTTCGG TAAGCAACTA TAAAAAGGTG TTTTTTGCAA GAAAATGAAT AATCTAGTAG 11220
 ATTACTTCAA AACCCACAA TACTGCCAAT TTTGATATAC TTTAACTCT TGGAACAAAG 11280
 CTTTTTGTTT GTTTTTTCCT TTTTCTATAT GAATAAAAGG TAATAAGATA CAAATACAAA 11340
 TAGATCTATA TTTGTTAAAG ATGTATATTT ATGTACAATA AATAGGTGTT TTCATGATCG 11400
 GGCAAATTCA AAGTAGATGG GATATTAAGT TTTTGATACT AAATAGATTA TTTATATGTT 11460
 TATTTAAAGT GGAGTTCCAT AAACAGCAAT TCCTTGAACA CAAGCAAGCA ATAGGGTTCT 11520
 CACTATATAA GGAGTTATAA CATTTTCTAA ATGGCAATAA CTTGTTATCA AGTTTGTATT 11580
 CTATTTCCAT TAAAATACTT TGCCCAAAC TATACTATGT CTGAAATCAT AATTCAATTG 11640
 ATTTTAAACT ATCTGTTTTT TTAATGAGTT ATTCCAACCA AAGGCTTTTG AACTCATTGT 11700
 TCAAACTATA TTATTGCTTA C 11721

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 67 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..67
- (D) OTHER INFORMATION: /note= "AP2-R1 direct repeat at positions 129 to 195"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 32..49
- (D) OTHER INFORMATION: /note= "putative AP2-R1 amphipathic alpha-helix (SEQ ID NO:6)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Ser Ser Gln Tyr Arg Gly Val Thr Phe Tyr Arg Arg Thr Gly Arg Trp
 1 5 10 15
 Glu Ser His Ile Trp Asp Cys Gly Lys Gln Val Tyr Leu Gly Gly Phe
 20 25 30
 Thr Asp Ala His Ala Ala Ala Arg Ala Tyr Asp Arg Ala Ala Ile Lys
 35 40 45
 Phe Arg Gly Val Glu Ala Asp Ile Asn Phe Asn Ile Asp Asp Tyr Asp
 50 55 60
 Asp Asp Leu
 65

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 68 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
 (B) LOCATION: 1..68
 (D) OTHER INFORMATION: /note= "AP2-R2 direct repeat at
 positions 221 to 288"

(ix) FEATURE:

- (A) NAME/KEY: Region
 (B) LOCATION: 33..50
 (D) OTHER INFORMATION: /note= "putative AP2-R2 amphipathic
 alpha-helix (SEQ ID NO:7)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Ser Ser Lys Tyr Arg Gly Val Thr Leu His Lys Cys Gly Arg Trp Glu
 1 5 10 15
 Ala Arg Met Gly Gln Phe Leu Gly Lys Lys Tyr Val Tyr Leu Gly Leu
 20 25 30
 Phe Asp Thr Glu Val Glu Ala Ala Arg Ala Tyr Asp Lys Ala Ala Ile
 35 40 45
 Lys Cys Asn Gly Lys Asp Ala Val Thr Asn Phe Asp Pro Ser Ile Tyr
 50 55 60
 Asp Glu Glu Leu
 65

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 18 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

(A) NAME/KEY: Peptide

(B) LOCATION: 1..18

(D) OTHER INFORMATION: /note= "putative AP2-R1 amphipathic
alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Phe Asp Thr Ala His Ala Ala Ala Arg Ala Tyr Asp Arg Ala Ala Ile
1 5 10 15

Lys Phe

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

(A) NAME/KEY: Peptide

(B) LOCATION: 1..18

(D) OTHER INFORMATION: /note= "putative AP2-R2 amphipathic
alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Phe Asp Thr Glu Val Glu Ala Ala Arg Ala Tyr Asp Lys Ala Ala Ile
1 5 10 15

Lys Cys

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 4 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Arg Ala Tyr Asp

1

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 77 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..77
- (D) OTHER INFORMATION: /note= "ANT-R1 direct repeat"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 44..59
- (D) OTHER INFORMATION: /note= "putative ANT-R1 amphipathic alpha-helix (SEQ ID NO:37)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Thr Ser Gln Tyr Arg Gly Val Thr Arg His Arg Trp Thr Gly Arg Tyr
 1 5 10 15
 Glu Ala His Leu Trp Asp Asn Ser Phe Lys Lys Glu Gly His Ser Arg
 20 25 30
 Lys Gly Arg Gln Val Tyr Leu Gly Gly Tyr Asp Met Glu Glu Lys Ala
 35 40 45
 Ala Arg Ala Tyr Asp Leu Ala Ala Leu Lys Tyr Trp Gly Pro Ser Thr
 50 55 60
 His Thr Asn Phe Ser Ala Glu Asn Tyr Gln Lys Glu Ile
 65 70 75

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 69 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..69
- (D) OTHER INFORMATION: /note= "ANT-R2 direct repeat"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 37..51
- (D) OTHER INFORMATION: /note= "putative ANT-R2 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Ala Ser Ile Tyr Arg Gly Val Thr Arg His His Gln His Gly Arg Trp
 1 5 10 15
 Gln Ala Arg Ile Gly Arg Val Ala Gly Asn Lys Asp Leu Tyr Leu Gly
 20 25 30
 Thr Phe Gly Thr Gln Glu Glu Ala Ala Glu Ala Tyr Asp Val Ala Ala
 35 40 45
 Ile Lys Phe Arg Gly Thr Asn Ala Val Thr Asn Phe Asp Ile Thr Arg
 50 55 60
 Tyr Asp Val Asp Arg
 65

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 67 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..67
- (D) OTHER INFORMATION: /note= "RAP2.7-R1 direct repeat"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 33..49
- (D) OTHER INFORMATION: /note= "putative RAP2.7-R1 amphipathic alpha helix (SEQ ID NO:36)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Ser Ser Gln Tyr Arg Gly Val Thr Phe Tyr Arg Arg Thr Gly Arg Trp
 1 5 10 15
 Glu Ser His Ile Trp Asp Cys Gly Lys Gln Val Tyr Leu Gly Gly Phe
 20 25 30
 Asp Thr Ala His Ala Ala Ala Arg Ala Tyr Asp Arg Ala Ala Ile Lys
 35 40 45
 Phe Arg Gly Val Asp Ala Asp Ile Asn Phe Thr Leu Gly Asp Tyr Glu
 50 55 60
 Glu Asp Met
 65

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 53 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..53
- (D) OTHER INFORMATION: /note= "RAP2.7-R2 direct repeat"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 26..34
- (D) OTHER INFORMATION: /note= "putative RAP2.7-R2 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

```

Ser Ser Lys Tyr Arg Gly Val Thr Leu His Lys Cys Gly Arg Trp Glu
1      5      10      15
Ala Arg Met Gly Gln Phe Leu Gly Lys Lys Ala Tyr Asp Lys Ala Ala
      20      25      30
Ile Asn Thr Asn Gly Arg Glu Ala Val Thr Asn Phe Glu Met Ser Ser
      35      40      45
Tyr Gln Asn Glu Ile
      50

```

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

```

Tyr Arg Gly Val Thr
1      5

```

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 5
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = Ala or Ser"

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 6
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = Arg or His"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Gly Arg Trp Glu Xaa Xaa
1 5

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Val Tyr Leu Gly
1

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Ala Ala Ile Lys
1

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 69 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..69
- (D) OTHER INFORMATION: /note= "AP2 domain within tobacco
EREBP-1"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 36..51
- (D) OTHER INFORMATION: /note= "putative EREBP-1 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

```

Gly Arg His Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe Ala
1           5           10           15
Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu Gly
20           25           30
Thr Tyr Glu Thr Asp Glu Glu Ala Ala Ile Ala Tyr Asp Lys Ala Ala
35           40           45
Tyr Arg Met Arg Gly Ser Lys Ala His Leu Asn Phe Pro Leu Glu Val
50           55           60
Ala Asn Phe Lys Gln
65

```

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 69 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..69
- (D) OTHER INFORMATION: /note= "AP2 domain within tobacco EREBP-2"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..51
- (D) OTHER INFORMATION: /note= "putative EREBP-2 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

```

Gly Arg His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala
1           5           10           15
Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu Gly
20           25           30
Thr Tyr Glu Thr Ala Glu Glu Ala Ala Leu Ala Tyr Asp Lys Ala Ala
35           40           45
Tyr Arg Met Arg Gly Ser Lys Ala Leu Leu Asn Phe Pro His Arg Ile
50           55           60
Gly Leu Asn Glu Pro
65

```


(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "AP2 domain within tobacco EREBP-3"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..50
- (D) OTHER INFORMATION: /note= "putative EREBP-3 amphipathic alpha-helix (SEQ ID NO:41)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Glu Val His Tyr Arg Gly Val Arg Lys Arg Pro Trp Gly Arg Tyr Ala
 1 5 10 15
 Ala Glu Ile Arg Asp Pro Gly Lys Lys Ser Arg Val Trp Leu Gly Thr
 20 25 30
 Phe Asp Thr Ala Glu Glu Ala Ala Lys Ala Tyr Asp Thr Ala Ala Arg
 35 40 45
 Glu Phe Arg Gly Pro Lys Ala Lys Thr Asn Phe Pro Ser Pro Thr Glu
 50 55 60
 Asn Gln Ser Pro
 65

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 69 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..69
- (D) OTHER INFORMATION: /note= "AP2 domain within tobacco EREBP-4"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..51
- (D) OTHER INFORMATION: /note= "putative EREBP-4 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Lys Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala
 1 5 10 15
 Ala Glu Ile Arg Asp Pro Asn Arg Lys Gly Thr Arg Val Trp Leu Gly
 20 25 30
 Thr Phe Asp Thr Ala Ile Glu Ala Ala Lys Ala Tyr Asp Arg Ala Ala
 35 40 45
 Phe Lys Leu Arg Gly Ser Lys Ala Ile Val Asn Phe Pro His Arg Ile
 50 55 60
 Gly Leu Asn Glu Pro
 65

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
RAP2.2 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 34..51
- (D) OTHER INFORMATION: /note= "putative RAP2.2 amphipathic
alpha-helix (SEQ ID NO:38)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

Lys Asn Gln Tyr Arg Gly Ile Arg Gln Arg Pro Trp Gly Lys Trp Ala
 1 5 10 15
 Ala Glu Ile Arg Asp Pro Arg Lys Gly Ser Arg Glu Trp Leu Gly Thr
 20 25 30
 Phe Asp Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Ala Ala Ala Arg
 35 40 45
 Arg Ile Arg Gly Thr Lys Ala Lys Val Asn Phe Pro Glu Glu Lys Asn
 50 55 60
 Pro Ser Val Val
 65

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis RAP2.3 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 36..50
- (D) OTHER INFORMATION: /note= "putative RAP2.3 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

```

Lys Asn Val Tyr Arg Gly Ile Arg Lys Arg Pro Trp Gly Lys Trp Ala
1           5           10           15
Ala Glu Ile Arg Asp Pro Arg Lys Gly Val Arg Val Trp Leu Gly Thr
                20           25           30
Phe Asn Thr Ala Glu Glu Ala Ala Met Ala Tyr Asp Val Ala Ala Lys
                35           40           45
Gln Ile Arg Gly Asp Lys Ala Lys Leu Asn Phe Pro Asp Leu His His
50           55           60
Pro Pro Pro Pro
65

```

ay (2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis RAP2.5 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..50
- (D) OTHER INFORMATION: /note= "putative RAP2.5 amphipathic alpha-helix (SEQ ID NO:39)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

```

Glu Ile Arg Tyr Arg Gly Val Arg Lys Arg Pro Trp Gly Arg Tyr Ala
1           5           10           15
Ala Glu Ile Arg Asp Pro Gly Lys Lys Thr Arg Val Trp Leu Gly Thr
                20           25           30

```

Phe Asp Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Thr Ala Ala Arg
 35 40 45
 Asp Phe Arg Gly Ala Lys Ala Lys Thr Asn Phe Pro Thr Phe Leu Glu
 50 55 60
 Leu Ser Asp Gln
 65

(2) INFORMATION FOR SEQ ID NO:24:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 68 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear,

(ii) MOLECULE TYPE: peptide

- (ix) FEATURE:
 (A) NAME/KEY: Peptide
 (B) LOCATION: 1..68
 (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
 RAP2.6 AP2 domain"

- (ix) FEATURE:
 (A) NAME/KEY: Region
 (B) LOCATION: 34..51
 (D) OTHER INFORMATION: /note= "putative RAP2.6 amphipathic
 alpha-helix"

64
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Pro Lys Lys Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Trp Ala
 1 5 10 15
 Ala Glu Ile Arg Asp Pro His Lys Ala Thr Arg Val Trp Leu Gly Thr
 20 25 30
 Phe Glu Thr Ala Glu Ala Ala Ala Arg Ala Tyr Asp Ala Ala Ala Leu
 35 40 45
 Arg Phe Arg Gly Ser Lys Ala Lys Leu Asn Phe Pro Glu Asn Val Gly
 50 55 60
 Thr Gln Thr Ile
 65

(2) INFORMATION FOR SEQ ID NO:25:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 68 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis RAP2.12 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 34..51
- (D) OTHER INFORMATION: /note= "putative RAP2.12 amphipathic alpha-helix (SEQ ID NO:40)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

Lys Asn Gln Tyr Arg Gly Ile Arg Gln Arg Pro Trp Gly Lys Trp Ala
 1 5 10 15
 Ala Glu Ile Arg Asp Pro Arg Glu Gly Ala Arg Ile Trp Leu Gly Thr
 20 25 30
 Phe Lys Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Ala Ala Ala Arg
 35 40 45
 Arg Ile Arg Gly Ser Lys Ala Lys Val Asn Phe Pro Glu Glu Asn Met
 50 55 60
 Lys Ala Asn Ser
 65

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis TINY AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..50
- (D) OTHER INFORMATION: /note= "putative TINY amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

His Pro Val Tyr Arg Gly Val Arg Lys Arg Asn Trp Gly Lys Trp Val
 1 5 10 15
 Ser Glu Ile Arg Glu Pro Arg Lys Lys Ser Arg Ile Trp Leu Gly Thr
 20 25 30
 Phe Pro Ser Pro Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu
 35 40 45

Ser Ile Lys Gly Ala Ser Ala Ile Leu Asn Phe Pro Asp Leu Ala Gly
 50 55 60

Ser Phe Pro Arg
 65

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
RAP2.1 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..50
- (D) OTHER INFORMATION: /note= "putative RAP2.1 amphipathic
alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

Arg Lys Pro Tyr Arg Gly Ile Arg Arg Arg Lys Trp Gly Lys Trp Val
 1 5 10 15

Ala Glu Ile Arg Glu Pro Asn Lys Arg Ser Arg Leu Trp Leu Gly Ser
 20 25 30

Tyr Thr Thr Asp Ile Ala Ala Ala Arg Ala Tyr Asp Val Ala Val Phe
 35 40 45

Tyr Leu Arg Gly Pro Ser Ala Arg Leu Asn Phe Pro Asp Leu Leu Leu
 50 55 60

Gln Glu Glu Asp
 65

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..68
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
RAP2.4 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 35..50
- (D) OTHER INFORMATION: /note= "putative RAP2.4 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

```

Thr Lys Leu Tyr Arg Gly Val Arg Gln Arg His Trp Gly Lys Trp Val
1           5           10           15
Ala Glu Ile Arg Leu Pro Arg Asn Arg Thr Arg Leu Trp Leu Gly Thr
20           25           30
Phe Asp Thr Ala Glu Glu Ala Ala Leu Ala Tyr Asp Lys Ala Ala Tyr
35           40           45
Lys Leu Arg Gly Asp Phe Ala Arg Leu Asn Phe Pro Asn Leu Arg His
50           55           60
Asn Gly Phe His
65

```

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..66
- (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis RAP2.8 AP2 domain"

(ix) FEATURE:

- (A) NAME/KEY: Region
- (B) LOCATION: 33..48
- (D) OTHER INFORMATION: /note= "putative RAP2.8 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

```

Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly
1           5           10           15
Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn
20           25           30
Glu Gln Glu Glu Ala Ala Arg Ser Tyr Asp Ile Ala Ala Cys Arg Phe
35           40           45
Arg Gly Arg Asp Ala Val Val Asn Phe Lys Asn Val Leu Glu Asp Gly
50           55           60
Asp Leu
65

```

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 68 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (ix) FEATURE:
 (A) NAME/KEY: Peptide
 (B) LOCATION: 1..68
 (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
 RAP2.10 AP2 domain"
- (ix) FEATURE:
 (A) NAME/KEY: Region
 (B) LOCATION: 36..51
 (D) OTHER INFORMATION: /note= "putative RAP2.10 amphipathic
 alpha-helix"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:
- | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Asp | Lys | Pro | Tyr | Lys | Gly | Ile | Arg | Met | Arg | Lys | Trp | Gly | Lys | Trp | Val |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |
| Ala | Glu | Ile | Arg | Glu | Pro | Asn | Lys | Arg | Ser | Arg | Ile | Trp | Leu | Gly | Ser |
| | | | 20 | | | | | 25 | | | | | 30 | | |
| Tyr | Ser | Thr | Pro | Glu | Ala | Ala | Ala | Arg | Ala | Tyr | Asp | Thr | Ala | Val | Phe |
| | | 35 | | | | | | 40 | | | | 45 | | | |
| Tyr | Leu | Arg | Gly | Pro | Ser | Ala | Arg | Leu | Asn | Phe | Pro | Glu | Leu | Leu | Ala |
| | 50 | | | | | 55 | | | | | 60 | | | | |
| Gly | Val | Thr | Val | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | |

(2) INFORMATION FOR SEQ ID NO:31:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 68 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (ix) FEATURE:
 (A) NAME/KEY: Peptide
 (B) LOCATION: 1..68
 (D) OTHER INFORMATION: /note= "EREBP-like Arabidopsis
 RAP2.11 AP2 domain"
- (ix) FEATURE:
 (A) NAME/KEY: Region
 (B) LOCATION: 34..50
 (D) OTHER INFORMATION: /note= "putative RAP2.11 amphipathic
 alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Lys Thr Lys Phe Val Gly Val Arg Gln Arg Pro Ser Gly Lys Trp Val
 1 5 10 15
 Ala Glu Ile Lys Asp Thr Thr Gln Lys Ile Arg Met Trp Leu Gly Thr
 20 25 30
 Phe Glu Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Glu Ala Ala Cys
 35 40 45
 Leu Leu Arg Gly Ser Asn Thr Arg Thr Asn Phe Ala Asn His Phe Pro
 50 55 60
 Asn Asn Ser Gln
 65

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 4
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = Val or Ile"

 a4
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Tyr Arg Gly Xaa Arg
 1 5

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 3
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = positively charged
amino acid"

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 4
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = Trp, Phe or Tyr"

```
(ix) FEATURE:
      (A) NAME/KEY: Modified-site
      (B) LOCATION: 5
      (D) OTHER INFORMATION: /product= "OTHER"
                             /note= "Xaa = Ala or Val"
```

```
(ix) FEATURE:
      (A) NAME/KEY: Modified-site
      (B) LOCATION: 9
      (D) OTHER INFORMATION: /product= "OTHER"
                             /note= "Xaa = Arg or Lys"
```

```
(ix) FEATURE:
      (A) NAME/KEY: Modified-site
      (B) LOCATION: 10
      (D) OTHER INFORMATION: /product= "OTHER"
                             /note= "Xaa = Asp or Glu"
```

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Trp Gly Xaa Xaa Xaa Ala Glu Ile Xaa Xaa
1 5 10

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 5 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

```
(ix) FEATURE:
      (A) NAME/KEY: Modified-site
      (B) LOCATION: 4
      (D) OTHER INFORMATION: /product= "OTHER"
                             /note= "Xaa = Ser or Thr"
```

```
(ix) FEATURE:
      (A) NAME/KEY: Modified-site
      (B) LOCATION: 5
      (D) OTHER INFORMATION: /product= "OTHER"
                               /note= "Xaa = Tyr or Phe"
```

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Trp Leu Gly Xaa Xaa
1 5

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 8 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 5
- (D) OTHER INFORMATION: /product= "OTHER"
/note= "Xaa = Ile, Leu or positively
charged amino acid"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Glu Glu Ala Ala Xaa Ala Tyr Asp
1 5

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..17
- (D) OTHER INFORMATION: /note= "putative RAP2.7-R1 amphipathic
alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Asp Thr Ala His Ala Ala Ala Arg Ala Tyr Asp Arg Ala Ala Ile Lys
1 5 10 15
Phe

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..16
- (D) OTHER INFORMATION: /note= "putative ANT-R1 amphipathic
alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Met Glu Glu Lys Ala Ala Arg Ala Tyr Asp Leu Ala Ala Leu Lys Tyr
1 5 10 15

(2) INFORMATION FOR SEQ ID NO:38:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "putative RAP2.2 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Asp Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Ala Ala Ala Arg Arg
 1 5 10 15
 Ile Arg

(2) INFORMATION FOR SEQ ID NO:39:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

68 (ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..16
- (D) OTHER INFORMATION: /note= "putative RAP2.5 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Thr Ala Ala Arg Asp Phe
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:40:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "putative RAP2.12 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Lys Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Ala Ala Ala Arg Arg
 1 5 10 15
 Ile Arg

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..16
- (D) OTHER INFORMATION: /note= "putative EREBP-3 amphipathic alpha-helix"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

Thr Ala Glu Glu Ala Ala Lys Ala Tyr Asp Thr Ala Ala Arg Glu Phe
 1 5 10 15

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..25
- (D) OTHER INFORMATION: /note= "AP2 linker region"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Lys Gln Met Thr Asn Leu Thr Lys Glu Glu Phe Val His Val Leu Arg
 1 5 10 15
 Arg Gln Ser Thr Gly Phe Pro Arg Gly
 20 25

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..26
- (D) OTHER INFORMATION: /note= "ANT linker region"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

Glu Asp Met Met Lys Asn Met Thr Arg Gln Glu Tyr Val Ala His Leu
 1 5 10 15
 Arg Arg Lys Ser Ser Gly Phe Ser Arg Gly
 20 25

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: 1..26
- (D) OTHER INFORMATION: /note= "RAP2.7 linker region"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

as
 Met Lys Gln Val Gln Asn Leu Ser Lys Glu Glu Phe Val His Ile Leu
 1 5 10 15
 Arg Arg Gln Ser Thr Gly Phe Ser Arg Gly
 20 25

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 4
- (D) OTHER INFORMATION: /product= "OTHER"
 /note= "Xaa = positively charged
 amino acid"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

Asn Leu Thr Xaa Glu Glu Phe Val His
 1 5

(2) INFORMATION FOR SEQ ID NO:46:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

Leu Arg Arg Gln Ser Thr Gly Phe Ser Arg Gly
 1 5 10

(2) INFORMATION FOR SEQ ID NO:47:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "JOAP2U primer"

GF (xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

GTTGCCGCTG CCGTAGTG

18

(2) INFORMATION FOR SEQ ID NO:48:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JOAP2L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

GGTTCATCCT GAGCCGCATA TC

22

(2) INFORMATION FOR SEQ ID NO:49:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..24
- (D) OTHER INFORMATION: /note= "JORAP2.1U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

CTCAAGAAGA AGTGCCTAAC CACG

24

(2) INFORMATION FOR SEQ ID NO:50:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.1L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

GCAGAAGCTA GAAGAGCGTC GA

22

(2) INFORMATION FOR SEQ ID NO:51:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "JORAP2.2U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

GGAAAATGGG CTGCGGAG

18

(2) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.2L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

GTTACCTCCA GCATCGAACG AG

22

(2) INFORMATION FOR SEQ ID NO:53:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.4U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

GCTGGATCTT GTTTCGCTTA CG

22

(2) INFORMATION FOR SEQ ID NO:54:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.4L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

GCTTCAAGCT TAGCGTCGAC TG

22

(2) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..20
- (D) OTHER INFORMATION: /note= "JORAP2.5U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

AGATGGGCTT GAAACCCGAC

20

(2) INFORMATION FOR SEQ ID NO:56:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "JORAP2.5L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

CTGGCTAGGG CTACGCGC

18

(2) INFORMATION FOR SEQ ID NO:57:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.6U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

TTCTTTGCCT CCTCAACCAT TG

22

(2) INFORMATION FOR SEQ ID NO:58:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.6L"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

TCTGAGTTCC AACATTTTCG GG

22

(2) INFORMATION FOR SEQ ID NO:59:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.7U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

GAAATTGGTA ACTCCGGTTC CG

22

(2) INFORMATION FOR SEQ ID NO:60:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.7L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

CCATTTTGCT TTGGCGCATT AC

22

(2) INFORMATION FOR SEQ ID NO:61:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..19
 - (D) OTHER INFORMATION: /note= "JORAP2.8U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

GGCGTTACGC CTCTACCGG

19

(2) INFORMATION FOR SEQ ID NO:62:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..20
 - (D) OTHER INFORMATION: /note= "JORAP2.8L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

CGCCGTCTTC CAGAACGTTC

20

(2) INFORMATION FOR SEQ ID NO:63:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..21
 - (D) OTHER INFORMATION: /note= "JORAP2.9U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

ATCACGGATC TGGCTTGTT C

21

(2) INFORMATION FOR SEQ ID NO:64:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "JORAP2.9L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

GCCTTCTTCC GTATCAACGT CG

22

(2) INFORMATION FOR SEQ ID NO:65:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..19
- (D) OTHER INFORMATION: /note= "JORAP2.10U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

GTCAACTCCG GCGGTTACG

19

(2) INFORMATION FOR SEQ ID NO:66:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..21
- (D) OTHER INFORMATION: /note= "JORAP2.10L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

TCTCCTTATA TACGCCGCCG A

21

(2) INFORMATION FOR SEQ ID NO:67:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..23
- (D) OTHER INFORMATION: /note= "JORAP2.11U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

GAGAAGAGCA AAGGCAACAA GAC

23

(2) INFORMATION FOR SEQ ID NO:68:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..23
- (D) OTHER INFORMATION: /note= "JORAP2.11L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

AGTTGTTAGG AAAATGGTTT GCG

23

(2) INFORMATION FOR SEQ ID NO:69:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..25
- (D) OTHER INFORMATION: /note= "JORAP2.12U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

AAACCATTCG TTTTCACTTC GACTC

25

(2) INFORMATION FOR SEQ ID NO:70:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..25
- (D) OTHER INFORMATION: /note= "JORAP2.12L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

TCACAGAGCG TTTCTGAGAA TTAGC

25

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "AP2U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

ATGTGGGATC TAAACGACGC AC

22

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..19
- (D) OTHER INFORMATION: /note= "AP2L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

GATCTTGGTC CACGCCGAC

19

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.1U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

AAGAGGACCA TCTCTCAG

18

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.1L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

AACACTCGCT AGCTTCTC

18

(2) INFORMATION FOR SEQ ID NO:75:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.2U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

TGGTTCAGCA GCCAACAC

18

(2) INFORMATION FOR SEQ ID NO:76:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..19
- (D) OTHER INFORMATION: /note= "RAP2.2L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

CAATGCATAG AGCTTGAGG

19

(2) INFORMATION FOR SEQ ID NO:77:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.4U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

ACGGATTTCATCATCGGAG

18

(2) INFORMATION FOR SEQ ID NO:78:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..19
- (D) OTHER INFORMATION: /note= "RAP2.4L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

CTAAGCTAGA ATCGAATCC

19

(2) INFORMATION FOR SEQ ID NO:79:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.5U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

TACCGGTTTC GCGCGTAG

18

(2) INFORMATION FOR SEQ ID NO:80:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..21
- (D) OTHER INFORMATION: /note= "RAP2.5L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

CACCTTCGAA ATCAACGACC G

21

(2) INFORMATION FOR SEQ ID NO:81:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "RAP2.6U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

TTCCCCGAAA ATGTTGGAAC TC

22

(2) INFORMATION FOR SEQ ID NO:82:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..25
- (D) OTHER INFORMATION: /note= "RAP2.6L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

TGGGAGAGAA AAAATTGGTA GATCG

25

(2) INFORMATION FOR SEQ ID NO:83:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.7U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

CGATGGAGAC GAAGACTC

18

(2) INFORMATION FOR SEQ ID NO:84:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.7L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

GTCGGAACCG GAGTTACC

18

(2) INFORMATION FOR SEQ ID NO:85:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..19
 - (D) OTHER INFORMATION: /note= "RAP2.8U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

TCACTCAAAG GCCGAGATC

19

(2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

- ap
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..19
 - (D) OTHER INFORMATION: /note= "RAP2.8L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

TAACAACATC ACCGGCTCG

19

(2) INFORMATION FOR SEQ ID NO:87:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..18
 - (D) OTHER INFORMATION: /note= "RAP2.9U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

GTGAAGGCTT AGGAGGAG

18

(2) INFORMATION FOR SEQ ID NO:88:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..19
 - (D) OTHER INFORMATION: /note= "RAP2.9L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

TGCCTCATAT GAGTCAGAG

19

(2) INFORMATION FOR SEQ ID NO:89:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..18
 - (D) OTHER INFORMATION: /note= "RAP2.10U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

TCCCGGAGCT TTTAGCCG

18

(2) INFORMATION FOR SEQ ID NO:90:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..19
 - (D) OTHER INFORMATION: /note= "RAP2.10L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

CAACCCGTTT CAACGATCC

19

(2) INFORMATION FOR SEQ ID NO:91:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..23
 - (D) OTHER INFORMATION: /note= "RAP2.11U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

TTCTTCACCA GAAGCAGAGC ATG

23

(2) INFORMATION FOR SEQ ID NO:92:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..24
 - (D) OTHER INFORMATION: /note= "RAP2.11L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

CTCCATTCAT TGCATATAGG GACG

24

(2) INFORMATION FOR SEQ ID NO:93:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..24
 - (D) OTHER INFORMATION: /note= "RAP2.12U primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

GCTTTGGTTC AGAACTCGAA CATC

24

(2) INFORMATION FOR SEQ ID NO:94:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..22
- (D) OTHER INFORMATION: /note= "RAP2.12L primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

AGGTTGATAA ACGAACGATG CG

22

(2) INFORMATION FOR SEQ ID NO:95:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 4 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

LYS LYS SER ARG
1

(2) INFORMATION FOR SEQ ID NO:96:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.3 primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

TCATCGCCAC GATCAACC

18

(2) INFORMATION FOR SEQ ID NO:97:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..18
- (D) OTHER INFORMATION: /note= "RAP2.3 primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

AGCAGTCCAA TGCGACGG

18

(2) INFORMATION FOR SEQ ID NO:98:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

ap (xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

Trp Ala Ala Glu Ile Arg Asp
1 5

(2) INFORMATION FOR SEQ ID NO:99:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 4 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

Met Ala Asp Ser
1
